Australian Mental Score Wellbeing Index

Checking in on the everyday mental wellbeing of Australians

REPORT 4 | OCTOBER TO DECEMBER 2022





What is the Australian Mental Wellbeing Index?

The Australian Mental Wellbeing Index is made up of six everyday mental wellbeing domains: emotional awareness, focus and concentration, emotional regulation, relationships and social connections, sleep, and stress. The Australian Mental Wellbeing Index aims to do three things: provide a consistent and reliable dataset to inform mental wellbeing policy and decision making; draw attention to changes in national trends in Australia's mental wellbeing; and reframe how Australians consider mental wellbeing. The domains represent the following:



Emotional awareness

The ability to notice emotions as they are experienced and to identify and differentiate between emotions.



Focus and concentration

The ability to attend to a task with minimal distraction and for an extended period of time.



Emotional regulation

The ability to manage emotions without reacting to them.



Relationships and social connections

The experience of feeling connected and close with others through rewarding relationships.



The level of satisfaction with the quality of sleep.



Stress

The experience of agitation, nervousness or stress.



74,844* surveys were completed by 38,862 unique users between October 2022 and December 2022. On average, there were approximately 2,776 responses and 5,346 survey responses completed each week.

For further information on the Australian Mental Wellbeing Index, refer to Appendix: Data and Methods (page 8).

*Due to a software error, there were fewer than typical survey responses collected for the Q4, 2022 period. A review of the survey respondents' age and state distribution over time suggests the differences appear to be within reasonable range.



Summary of insights

Overall

The Australian Mental Wellbeing Index was 48.4 out of 100 in Q4 2022 (October 2022–December 2022) quarter which is lower than the index for the same quarter in the previous year (-0.6%), and the previous quarter (-1.2%).

Over the past quarter

The mental wellbeing of Australians continues to see a steady decline through the final quarter period of 2022. The decline sees a slight uptick toward the end of November, however ends in a dip in December 2022.

One in four (26%) Australians report overall good levels of mental wellbeing, while nearly one in three (30%) report poor levels of mental wellbeing.

Domains

Australians continue to find several areas of their mental wellbeing challenging, responding negatively when talking about their focus and concentration (44%), stress (40%) and sleep (35%).

Emotional awareness—along with relationships and social connections—demonstrated the largest positive contributions to overall mental wellbeing, with the amount of positive responses for emotional awareness increasing when compared to the same period in 2021.

One in four (24%) Australians reported high levels of emotional regulation, while over one in three (35%) Australians reported positive relationships and social connections.

Wellbeing by location across Australia


Mental wellbeing has been consistently lower across all States except for South Australia which saw a slight increase of 0.3% compared to the same period in the previous year.

The mental wellbeing of Western Australians was highest when compared to all other states, and was approaching positive mental wellbeing (49.1%).




Australian Mental Wellbeing Index 2021–2022

Insights Q4, 2022 (October–December 2022)



Australian Mental Wellbeing

Index Score (Q4, 2022)




• good wellbeing

of Australians report


of Australians report poor wellbeing



The six life domains contributing to mental wellbeing Q4, 2022 (October–December 2022)



Net score is defined as the difference between the proportion of positive and negative responses



The arrows indicate the direction of change for Oct 2022 – Dec 2022 compared to Oct 2021 – Dec 2021. The size of the circles reflects the scale of percentage share. Remaining percentages responded neutrally.

In the past quarter

Australians reported experiencing greater stress, along with relatively poorer levels of sleep quality, and focus and concentration. These results follow the trends observed in Q3 of 2022, and continue to be priority areas for Australians to improve their mental wellbeing.


Australians generally have positive emotional awareness, relationships & social connections, and emotional regulation when compared to the other domains.

Year on year the greatest positive change was found for relationships and social connections which saw a 5.6 % increase when compared to the same period in 2021.



Australian Mental Wellbeing Index Scores by region across Australia,

Q4 2022 (October–December 2022)



*Only states with a large enough sample size have been included



Australian Mental Wellbeing insights by state

Q4 2022 (October–December 2022)



Tasmania, Northern Territory, and the Australian Capital Territory have not been included in this report due to low user and survey response sample sizes.

Western Australia scored the highest nationally in terms of their wellbeing. However, they experienced a slightly lower wellbeing score when compared to the same period in 2021 (-0.9%).

When compared to other states, New South Wales experienced the greatest decrease in their wellbeing compared to the same period in 2021 (-1.2%). However, Queensland scored the lowest nationally for Q4, 2022 (47.6).



Data and methods

There are six domains of interest in the survey. The following questions were used to capture responses in each of these domains:



Emotional awareness:

When someone asked how I was feeling, I could identify my emotions easily



Focus and concentration: I've been easily distracted



 $\widehat{\odot} \widehat{\odot}$ Emotional regulation: I've noticed my emotions without having to react to them

Relationships and social connections:

I've been feeling close to other people

ゕゕ Sleep: I've been satisfied with my sleep



Stress:

I've been feeling agitated

Survey respondents are asked to rate themselves on a scale of 1 to 5. Responses are standardised such that 1 refers to the most negative response and 5 refers to the most positive response.

How are the Australian Mental Wellbeing **Index results measured?**

The index involved transforming individual survey responses into point values, with a higher point value associated with good mental health. All scores were added and divided by the total number of possible points to obtain a score out of 100.

The net score used for the domains is defined as the difference between the proportion of users who report a positive response and the proportion of users to report a negative response. On a scale of 1 to 5, a response of 4 or 5 is defined as a positive response while a response of 1 or 2 is defined as a negative response. The net score metric is similar to a net promoter score and is meant to capture the sentiment of users for a given domain.

How is the overall index constructed?

The overall index is a simple average (equal weights) of the individual index across the six domains. In other words, each of the six domains equally contributes to the overall index.

What frequency are the results being reported on?

Results are reported on a weekly basis. There was minimal variation when aggregated on a monthly basis, however, there was too much noise when reported on a daily basis. Daily results are still included in the overall index to provide an indication of the daily variation underpinning the weekly results.

Are the results reported on by survey or by user? Can users have multiple survey responses? How do you handle this?

The results are reported per user in a given period. Reporting on a per–user basis provides a more intuitive way of understanding the results. As each user is able to complete multiple surveys in a week or day, only the first survey completed per user in a given period is used. This helps to avoid any treatment effects of going through a meditation or mindfulness program.

Why do the domains appear to have a different baseline?

Differences may be accounted for by a mix of positively and negatively worded items. Domains which were negatively worded were more likely to return a higher proportion of negative responses. It is also worth noting that the negatively worded items, on average, returned more 'extreme' responses than the positively worded items, which may be due to a greater influence of negativity bias among the population.

Have you done any analysis to assess how well the questions reflect each of the domains?

The individual scores for each domain were tested against the total scores of relevant validated scales. Each item demonstrated between medium to high correlations with the total score of their respective validated scale. The following table describes the correlation between each item and the total score of a concurrent scale.



Domain	Index Item	Validated Scale	Correlation (Pearson's R)
Emotion awarene	I was teeling I could identity	FFMQ (Awareness)	0.68
Focus a concent	l've been easily distracted	Philadelphia Mindfulness Scale	0.32*
Emotior regulation		ut Philadelphia Mindfulness Scale	0.51*
	nships and I've been feeling close to other onnections people	Perceived Community Scale	0.47
ም ም Sleep	I've been satisfied with my slee	p Sleep Disturbance Scale	-0.74
Grand Stress	I've been feeling agitated	Perceived Stress Scale (PSS)	0.67

*Due to insufficient scales seeking to measure focus and concentration, and emotional regulation, these items were tested against total mindfulness.

How valid is the index as a measure of wellbeing?

Bivariate correlations with existing scales showed support for the validity of the Australian Mental Wellbeing Index.

The Australian Mental Wellbeing Index was tested for concurrent validity against two validated scales, the Warwick–Edinburgh Mental Wellbeing Scale (WEMWBS) and the WHO–5. The analysis showed high positive correlations with both the WEMWBS (r=0.74) and the WHO–5 (r=0.68). Similarly, the Australian Mental Wellbeing Index showed adequate convergent validity with the K–10 measure for psychological distress (r=-0.59).

Have the results been adjusted in any way?

The results are based on raw data that have not been adjusted or re-weighted. We will continue to monitor and assess the need for adjustments or weights, noting that without the right variables, any additional manipulation or re-weighting may induce further bias in the results.

Why is there only data available from May 2020 onwards?

Survey data was only collected from April 2020 onwards. Data in the first few weeks of April had low collection numbers as it reflects small scale testing prior to the wider release. As such, analysis commences only from May 2020 onwards.

References:

WEMWBS: Tennant, R., Hiller, L., Fishwick, R., Platt, S., Joseph, S., Weich, S., Parkinson, J., Secker, J., & Stewart–Brown, S. (2007). The Warwick–Edinburgh Mental Well–being Scale (WEMWBS): Development and UK validation. Health and Quality of Life Outcomes, 5, Article 63. https://doi. org/10.1186/1477-7525-5-63

WHO–5: Topp C.W., Østergaard S.D., Søndergaard S., & Bech P. (2015). The WHO-5 Well-Being Index: A Systematic Review of the Literature. Psychotherapy and Psychosomatics, 84, 167-176.

K–10: Kessler RC, Barker PR, Colpe LJ, Epstein JF, Gfroerer JC, Hiripi E, et al. Screening for serious mental illness in the general population. Arch Gen Psychiatry. 2003 Feb;60(2):184-9.



Expert Advisory Group

We would like to acknowledge the input and guidance of our expert advisory group in the development of the Australian Mental Wellbeing Index.



Professor Nicola Reavley

Principal Research Fellow, Mental Health Literacy Program; Melbourne School of Population and Global Health at the University of Melbourne

Prof. Reavley is Deputy Director of the Centre for Mental Health, Melbourne School of Population and Global Health at the University of Melbourne. Her research focuses on the population monitoring and interventions to improve population mental health and mental health literacy and reduce stigma and discrimination.



Professor Lindsay Oades

Director, Centre For Wellbeing Science; Melbourne Graduate School of Education at the University of Melbourne

Dr. Lindsay G. Oades PhD is an internationally acclaimed wellbeing science researcher, educator and author. As Director and Professor at the Centre for Wellbeing Science, at the University of Melbourne, he leads a growing and dynamic team of researchers and educators who promote and investigate how people learn to improve wellbeing, in education, health, organisations and communities. Currently he is a coordinating lead author with a UNESCO assignment examining the relationship between education and human flourishing. With over 150 refereed journal articles and book chapters related to wellbeing, recovery and coaching and five books with esteemed publishers including Cambridge University Press, Wiley–Blackwell, Routledge and SAGE, he is a scientific reviewer for the Australian Research Council. Lindsay has consulted to multiple organisations including the NSW Department of Education, NSW Mental Health Commission, Beyond Blue and the Australian Mental Health Commission. Lindsay's work highlights the differences between mental health approaches drawn from a medical and natural science paradigm compared to wellbeing approaches drawn from an educational and cultural learning paradigm.





Professor Peter Butterworth

Centre for Research on Ageing, Health and Wellbeing in the Research School of Population Health, Australian National University

Prof. Peter Butterworth is a Professor at the National Centre for Epidemiology and Population Health (NCEPH) at the Australian National University. He also holds an honorary Professorial appointment in the Melbourne Institute: Applied Economic and Social Research at the University of Melbourne. His background and training is in the areas of psychology, biostatistics and psychiatric epidemiology. Peter's broad research interests are in the social causes and social consequences of common mental disorders such as anxiety and depression, and his research focuses on how economic and social policy can improve population mental health.



Dr Chris Schilling

Research Director (Demographics and Data), Australian Institute of Family Studies

Dr. Chris Schilling is an accomplished health economist with more than 15 years of experience in economic modelling and research across academia, government and consultancy. Chris is currently the Research Director, Demographics and Data at the Australian Institute of Family Studies (AIFS), where he leads AIFS longitudinal studies, including the Longitudinal Study of Australian Children (LSAC) and the Longitudinal Study of Male Health (Ten to Men). Previously Chris worked as a Director at KPMG where he led the Health Economics practice responsible for a range of large–scale economic evaluation and modelling engagements using linked and longitudinal data. His work has influenced key policy debates around palliative care, mental health and wellbeing, productivity and low–value care. Chris has a double degree in Engineering (Hons)/Commerce (Hons) from the University of Melbourne and an MSc in Agricultural Economics from the University of Hohenheim, Germany. He completed his PhD in Health Economics at the University of Melbourne where his thesis included a range of publications using individual-level observational data. Chris maintains a link with the University of Melbourne where he continues to conduct research, guest lecture and supervise PhD students.

More information can be found on the Smiling Mind website <u>smilingmind.com.au.</u>



Smiling Mind

smilingmind.com.au

🖾 info@smilingmind.com.au



KPMG

kpmg.com.au

Smiling Mind is a not for profit organisation here to help every mind thrive with digital-first tools, resources and education.